

INFORMATION DISCLOSURE STATEMENT

Applicant : Goode, et al.
App. No : 10/648,849
Filed : August 22, 2003
For : SYSTEMS AND METHODS FOR
REPLACING SIGNAL ARTIFACTS IN
A GLUCOSE SENSOR DATA
STREAM
Examiner : Winakur, Eric Frank
Art Unit : 3736

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed for filing in the above-identified application is a PTO/SB/08 Equivalent listing six (6) U.S. patent document references to be considered by the Examiner.

This Information Disclosure Statement is being filed before the receipt of a first Office Action on the merits, and presumably no fee is required. If a first Office Action on the merits was mailed before the mailing date of this Statement, the Commissioner is authorized to charge the fee set forth in 37 C.F.R. § 1.17(p) to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: March 9, 2007

By: 

Gregory A. Hermanson
Registration No. 53,018
Attorney of Record
Customer No. 20,995
(619) 235-8550

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application No.	10/648,849
	Filing Date	August 22, 2003
	First Named Inventor	Paul V. Goode
	Art Unit	3736
(Multiple sheets used when necessary)		Examiner
SHEET 1 OF 1		Attorney Docket No.
		Winakur, Eric Frank
		DEXCOM.027A

U.S. PATENT DOCUMENTS					
Examiner Initials	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	1	2003/0004457 A1	01-2003	Andersson	
	2	2003/0225437 A1	12-2003	Ferguson	
	3	5,312,361	05-1994	Zadini, et al.	
	4	5,926,130	07-1999	Schmidt	
	5	6,293,825	09-2001	Safabash, et al.	
	6	6,892,085 B1	05-2005	Mclvor, et al.	

3516549/cfn/030607

Examiner Signature	Date Considered
<p>*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 806. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	

T¹ - Place a check mark in this area when an English language Translation is attached.